Hold everything. We offer you a shelving line that can solve all your storage problems.

Imagine the ideal shelving system. It would have to be strong to support heavy loads. It would have to be versatile, able to adapt to all kinds of applications and workplace environments. It would have to be simple to assemble and require little maintenance. It would have to be durable to withstand the punishment of the workplace. And, it would have to be affordable.

If that's what you're looking for in a shelving system, you'll find it in SPG's industry-leading line-up of proven, reliable shelving solutions.

Here is just a sampling of the advantages we offer:

- **Strength**—our wire shelving is unquestionably the strongest in its class, with shelves up to 60" rated to support 1,250 lbs. each
- **Easy Assembly** our shelving systems offer fast, easy assembly and installation; in fact, some of our shelving systems require no tools for assembly
- **Versatility** our modular shelving allows you to create a custom-tailored system that can grow and change as your needs do

- **Durability** our shelving systems are available in a variety of finishes to withstand all types of challenging work environments, including cold and wet applications
- Selection no one brings you a broader selection

Here are just some of the shelving choices we offer:

- Heavy-duty square post wire shelving
- Plasteel[®] non-corrosive shelving
- Plastic Plus[™] shelving
- Standard-duty round post wire shelving
- An array of components, accessories and unique caster options

Expect More...

All of our shelving is NSF approved, and our Plasteel[®] shelving is USDA approved. In fact, every system we make combines quality and value, versatility and durability. So, put all of your old ideas on the shelf, and take a good look at SPG's broad selection of innovative shelving systems.





HEAVY DUTY SQUARE POST WIRE SHELVING

4-Shelf Shelving Unit

- Unique square post design uses 27% more steel than typical round posts.
- 17% taller collar provides more strength and greater rigidity.
- Solid 21/8" robotic welds provide more stability than the two spot welds used on round post systems
- Use Add-On Unit to continue a straight line of shelving, for right angles or for back to back shelving
- Shelf wires average 50% thicker than other systems, providing greater shelf capacity and strength
- Frame is 12 gauge solid steel
- NSF approved



4-Shelf Starter Units (includes 4 posts plus 4 shelves)

Model No.	D x W x H (In.)	Wt. (Lbs.)
A1836CP72S-4	18 x 36 x 72	64
A1848CP72S-4	18 x 48 x 72	80
A1860CP72S-4	18 x 60 x 72	92
A1872CP72S-4	18 x 72 x 72	106
A2436CP72S-4	24 x 36 x 72	74
A2448CP72S-4	24 x 48 x 72	94
A2460CP72S-4	24 x 60 x 72	112
A2472CP72S-4	24 x 72 x 72	128

4-Shelf Add-On Units

Model No.	D x W x H (ln.)	Wt. (Lbs.)
A1836CP72A-4	18 x 36 x 72	54
A1848CP72A-4	18 x 48 x 72	70
A1860CP72A-4	18 x 60 x 72	82
A1872CP72A-4	18 x 72 x 72	96
A2436CP72A-4	24 x 36 x 72	64
A2448CP72A-4	24 x 48 x 72	84
A2460CP72A-4	24 x 60 x 72	102
A2472CP72A-4	24 x 72 x 72	118

Starter Unit with Add-On Unit





HEAVY DUTY SQUARE POST WIRE SHELVING

Wire Shelves

Wire shelves with Plating Plus[™] finish is ideal for dry environments. Bright plating has lustrous eye appeal and provides years of maintenance-free performance.

	Ch alf	11/4
	Shelf	Wt.
Model No.	W x L (ln.)	(Lbs.)
A1836CP	18 ¹ / ₈ x 35 ⁷ / ₈	11
A1842CP	18 ¹ / ₈ x 41 ⁷ / ₈	13
A1848CP	18 ¹ / ₈ x 47 ⁷ / ₈	15
A1860CP	18 ¹ / ₈ x 59 ⁷ / ₈	18
A1872CP	18 ¹ / ₈ x 71 ⁷ / ₈	21 ¹ / ₂
A2436CP	24 ¹ / ₈ x 35 ⁷ / ₈	13 ¹ / ₂
A2448CP	24 ¹ / ₈ x 47 ⁷ / ₈	18 ¹ / ₂
A2460CP	24 ¹ / ₈ x 59 ⁷ / ₈	23
A2472CP	24 ¹ / ₈ x 71 ⁷ / ₈	27



Posts

Square posts with 27% more surface to support each shelf corner than round posts, provide a clear strength advantage. Easier to assemble and easier to align, square posts make every installation a simple matter. The unique dimpled design and clean appearance, uncluttered by a numbering system, provide definite eye appeal. All posts have Plating PLus[™] finish.

For Wire or Plasteel® Units

Model No.	Post Ht. (In.)	Wt. (Lbs.)
P64CP	64	4 ¹ / ₂
P72CP	72	5
P84CP	84	5 ¹ / ₂





HEAVY DUTY SQUARE POST WIRE SHELVING ACCESSORIES

Stem Casters

Stem casters are available in many different materials, sizes and for many different applications. The most widely used casters are shown below with others available upon request.



Stem Casters

Swivel	Rigid/Swivel	Swivel/Brake	Wheel	Wheel	Load	Wt.
Model No.	Model No.	Model No.	Material	W x D (ln.)	Cap. (Lbs.)	(Lbs.)
CM5M	—	CM5MB	Rubber	5 x 1 ¹ / ₄	280	3
CM5P	—	CM5PB	Polyurethane	5 x 1 ¹ / ₄	300	3
	AC8RS		Polyurethane	5 x 1 ¹ / ₄	250	3
_	AC9RS		Polyurethane	5 x 1 ¹ / ₄	250	3

Treads

Rubber Tread

Combines high load capacity and easy rolling with good floor protection. Recommended for hard floors and carpets.

Polyurethane

Tough, abrasion-resistant. Excellent floor protection and ease of rolling. Widest range of temperature use: -30°F to +180°F.

Smart-Casters®

The Smart-Caster provides cart users with maneuverability and control. The 4-position, swivel lock casters (also referred to as "steering casters") can be set as swivel or rigid, in any combination, with the touch of atoe for ultimate control.

Model No.	Description	Wt. (Lbs.)
AC8RS	Smart Caster	3
G5PGSL22	2 Swivel/2 Smart	12





HEAVY DUTY SQUARE POST WIRE SHELVING ACCESSORIES

Shelf Side Ledges — 6"	High

Shelf	Wt.
(ln.)	(Lbs.)
18	1.1
24	1.5
	(In.) 18



6" Side and Back Shelf Ledges

Plated	Shelf	Wt.
Model No.	(ln.)	(Lbs.)
LU36C	36	2.2
LU48C	48	3.0
LU60C	60	3.7
LU72C	72	4.4

Shelf Back Ledges—6" High

Heavyweight	Shelf Dividers —
	Shell Dividers
7" High	

Plated	Shelf	Wt.
Model No.	(ln.)	(Lbs.)
SDU18C	18	1.5
SDU24C	24	2.0



7" Heavyweight Shelf Dividers



HEAVY DUTY SQUARE POST WIRE SHELVING ACCESSORIES

Snap-on Shelf Covers

Establish an effortless regular shelving maintenance program with Snap-On Shelf Covers. Covers easily snap onto shelves. Quick, inexpensive and vastly extends the effective life of the shelving. Embossed to provide air circulation.

Shelf Wt.	
W x L (In.) (Lbs.)	Model No.
$18 \times 36 \qquad 1^{1}/_{2}$	AM1836P
18 x 48 2	AM1848P
$18 \times 60 \qquad 2^{1}/_{2}$	AM1860P
$18 \times 72 2^{3}/_{4}$	AM1872P
24 x 36 2	AM2436P
$24 \times 48 \qquad 2^{3}/_{4}$	AM2448P
$24 \times 60 3^{1}/_{2}$	AM2460P
24 x 72 4	AM2472P
$\begin{array}{c ccccc} 18 \times 72 & 2^{3} /_{4} \\ 24 \times 36 & 2 \\ 24 \times 48 & 2^{3} /_{4} \\ 24 \times 60 & 3^{1} /_{2} \end{array}$	AM1872P AM2436P AM2448P AM2460P



Snap-On Shelf Cover

Shelf Covers

All plastic. Retains small items. White.

	Shelf	Wt.
Model No.	W x L (In.)	(Lbs.)
1836PSG	18 x 36	1 ¹ / ₂
1848PSG	18 x 48	2
1860PSG	18 x 60	2 ¹ / ₂
1872PSG	18 x 72	3
2436PSG	24 x 36	2
2448PSG	24 x 48	2 ³ / ₄
2460PSG	24 x 60	3 ¹ / ₂
2472PSG	24 x 72	4



Shelf Cover



HEAVY DUTY SQUARE POST WIRE SHELVING ACCESSORIES

Cart Covers

Standard covers: Nylon with velcro openings. Color blue Options: Staph Chek, Zipper, Other sizes & colors.

54" High	64" High	72" High	Shelf	Wt.
Model No.	Model No.	Model No.	W x L (ln.)	(Lbs.)
CC184854	CC184864	CC184872	18 x 48	5
CC186054	CC186064	CC186072	18 x 60	6
CC244854	CC244864	CC244872	24 x 48	5
CC246054	CC246064	CC246072	24 x 60	6
CC247254	CC247264	CC247272	24 x 72	7



Cart Covers

Shelf Label Holder

All plastic. Two types: Self adhesive gray plastic, Snap-on, clear plastic (only fits Heavyweight Wire Shelving). Both types use label inserts.

Model No.	Description
SHLAB	Self Adhesive
SHLAB2	Snap-on (for Heavyweight Shelf only)
SHLAB3	









Model No.	Description	
MARKER2	Shelf Labels - 3" plastic label	



Shelf Label



HEAVY DUTY SQUARE POST WIRE SHELVING ACCESSORIES

Extra Collets

Collets are shipped with all styles of shelves. Extra collets are available in sets of 4.





Extra Collets



PLASTEEL® SHELVING

$\mathsf{Plasteel}^{\circledast}$ Non-Corrosive Shelving & Carts — Solid or Vented

- 1,000 pound capacity per shelf—evenly distributed
- Molded high density structural foam polyethylene shelf over 1" square steel tubular frame coated with a hard baked resin
- Square 16 gauge steel post coated with a hard baked resin
- Available in solid or vented shelf
- Shelves have Lifetime Guarantee against rust
- USDA approved

4-Shelf Units - 64" High

Solid	Vented	Shelf	Wt.
Model No.	Model No.	W x L (ln.)	(Lbs.)
PS1836S64S-4	PS1836V64S-4	18 x 36	82
PS1848S64S-4	PS1848V64S-4	18 x 48	102
PS1860S64S-4	PS1860V64S-4	18 x 60	134
PS2436S64S-4	PS2436V64S-4	24 x 36	94
PS2448S64S-4	PS2448V64S-4	24 x 48	118
PS2460S64S-4	PS2460V64S-4	24 x 60	150

4-Shelf Units - 72" High

Solid	Vented	Shelf	Wt.
Model No.	Model No.	W x L (ln.)	(Lbs.)
PS1836S72S-4	PS1836V72S-4	18 x 36	84
PS1848S72S-4	PS1848V72S-4	18 x 48	104
PS1860S72S-4	PS1860V72S-4	18 x 60	136
PS2436S72S-4	PS2436V72S-4	24 x 36	96
PS2448S72S-4	PS2448V72S-4	24 x 48	120
PS2460S72S-4	PS2460V72S-4	24 x 60	152





Vented



Plasteel[®] Cutaway



PLASTEEL® SHELVING

Plasteel® Additional Shelves

Steel reinforced polyethylene foam shelves support 1,000 lbs. each. Available in solid or vented styles. May be intermixed with all other styles of Gillis shelves.

Solid	Vented	Shelf	Wt.
Model No.	Model No.	W x L (ln.)	(Lbs.)
PS1836S	PS1836V	18 x 36	16
PS1848S	PS1848V	18 x 48	21
PS1860S	PS1860V	18 x 60	29
PS2436S	PS2436V	24 x 36	19
PS2448S	PS2448V	24 x 48	25
PS2460S	PS2460V	24 x 60	33





Plasteel[®] Solid Shelves

Plasteel[®] Vented Shelves



PLASTIC PLUS[™] SHELVING

Plastic Plus[™] Shelving

Shelves are rugged polypropylene plastic panels in solid or vented styles snapped onto heavy duty tubular aluminum frames.

- Plastic Panels provide corrosion free surface
- Use anywhere indoors or out for dry, wet, warm or cold conditions
- Support weight loads of 800 lbs. per shelf
- Panels snap off for easy cleaning
- Plastic Plus™ starter units include 4 posts plus 4 shelves.

4-Shelf Starter Units - 72" High

Plastic Plus[™] Additional Shelves

Vented

PP1836V

PP1848V

PP1860V

PP2436V

PP2448V

PP2460V

Model No. W x L (In.)

Shelves are rugged polypropylene plastic panels in solid or vented styles snapped onto heavy duty tubular aluminum frames.

Shelf

18 x 36

18 x 48

18 x 60

24 x 36

24 x 48

24 x 60

Wt.

(Lbs.)

6¹/₄

8¹/₄

10

 $7^{1}/_{2}$

9¹/₂

 $11^{1}/_{2}$

Solid	Vented	Shelf	Wt.
Model No.	Model No.	W x L (ln.)	(Lbs.)
PP1836S72S-4	PP1836V72S-4	18 x 36	33
PP1848S72S-4	PP1848V72S-4	18 x 48	41
PP1860S72S-4	PP1860V72S-4	18 x 60	48
PP2436S72S-4	PP2436V72S-4	24 x 36	38
PP2448S72S-4	PP2448V72S-4	24 x 48	46
PP2460S72S-4	PP2460V72S-4	24 x 60	54





Plastic Plus[™] Solid Shelves



Plastic Plus[™] Vented Shelves



Solid

Model No.

PP1836S

PP1848S

PP1860S

PP2436S

PP2448S

PP2460S

STANDARD DUTY ROUND POST WIRE SHELVING

4-Shelf Shelving Units

Starter units include (4) shelves, (4) posts, (16) plastic collets. 800 pound capacity per shelf evenly distributed.

Add-on units include (4) shelves, (2) posts, (8) collets, shelf supports, (8) S-Hooks.

64" Units

Model No.	D x W x H (In.)	Wt. (Lbs.)
Starter Units		
MA1836C64S-4	18 x 36 x 64	52
MA1848C64S-4	18 x 48 x 64	62
MA1860C64S-4	18 x 60 x 64	82
MA1872C64S-4	18 x 72 x 64	94
MA2436C64S-4	24 x 36 x 64	66
MA2448C64S-4	24 x 48 x 64	78
MA2460C64S-4	24 x 60 x 64	98
MA2472C64S-4	24 x 72 x 64	118
Add-On Units		
MA1836C64A-4	18 x 36 x 64	45
MA1848C64A-4	18 x 48 x 64	55
MA1860C64A-4	18 x 60 x 64	75
MA1872C64A-4	18 x 72 x 64	87
MA2436C64A-4	24 x 36 x 64	59
MA2448C64A-4	24 x 48 x 64	71
MA2460C64A-4	24 x 60 x 64	91
MA2472C64A-4	24 x 72 x 64	111

72 " Units

Model No.	D x W x H (In.)	Wt. (Lbs.)
Starter Units		
MA1836C72S-4	18 x 36 x 72	54
MA1848C72S-4	18 x 48 x 72	64
MA1860C72S-4	18 x 60 x 72	84
MA1872C72S-4	18 x 72 x 72	96
MA2436C72S-4	24 x 36 x 72	68
MA2448C72S-4	24 x 48 x 72	80
MA2460C72S-4	24 x 60 x 72	100
MA2472C72S-4	24 x 72 x 72	120
Add-On Units		
MA1836C72A-4	18 x 36 x 72	46
MA1848C72A-4	18 x 48 x 72	56
MA1860C72A-4	18 x 60 x 72	76
MA1872C72A-4	18 x 72 x 72	88
MA2436C72A-4	24 x 36 x 72	60
MA2448C72A-4	24 x 48 x 72	72
MA2460C72A-4	24 x 60 x 72	92
MA2472C72A-4	24 x 72 x 72	112







STANDARD DUTY ROUND POST WIRE SHELVING ACCESSORIES

Extra Shelves

	Shelf	Wt.
Model No.	W x L (ln.)	(Lbs.)
MA1836C	18 x 36	9 ¹ / ₂
MA1848C	18 x 48	12
MA1860C	18 x 60	17
MA1872C	18 x 72	20
MA2436C	24 x 36	13
MA2448C	24 x 48	16
MA2460C	24 x 60	21
MA2472C	24 x 72	26



Extra Shelves

Extra Round Posts

Height includes leveling bolt and cap. Post is double notched on 8" centers for easy shelf placement.

Stationary		Mob	oile	
Ht. (ln.)	Model No.	Wt. (Lbs.)	Model No.	Wt. (Lbs.)
54	MG054C	3	MG054NFC	3
64	MG064C	3 ¹ / ₂	MG064NFC	3 ¹ / ₂
72	MG072C	4	MG072NFC	4
84	MG084C	5	_	_



Double Notched Post

S-Hooks

Use in corners or for continuous runs of shelving. Use two clips on each shelf where two posts are not used.





S-Hook

Shelf Label Holder

All plastic. Two types: Self adhesive gray plastic, Snap-on, clear plastic (only fits Heavyweight Wire Shelving). Both types use label inserts.

Model No.	Description
SHLAB	Self Adhesive
SHLAB2	Snap-on (for Heavyweight Shelf only)
SHLAB3	





SHLAB



STANDARD DUTY ROUND POST WIRE SHELVING ACCESSORIES

Side & Back Ledges

6" High. Packed 2 per carton.

Side Ledges

Model No.	Length (ln.)	Wt. (Lbs.)
LU18C	18	1.1
LU24C	24	1.5

Back Ledges

Model No.	Length (In.)	Wt. (Lbs.)
LU36C	36	2.2
LU48C	48	3.0
LU60C	60	3.7
LU72C	72	4.4

Wt. (Lbs.)

1.5

2.0



6" Side and Back Shelf Ledges



Shelf Divider

Stem Casters (Standard)

Shelf Dividers

Model No.

SDU18C

SDU24C

8" high. Packed 2 per carton.

Length (In.)

18

24

	Description		Wheel Dim.	Capacity	Wt.
Model No.	Туре	Tread	(In.)	(Lbs.)	(Lbs.)
CM5M	Swivel	Rubber	5 x 1 ¹ / ₄	200	3
CM5MB	Brake	Rubber	5 x 1 ¹ / ₄	200	3
CM5P	Swivel	Polyurethane	5 x 1 ¹ / ₄	300	3
CM5PB	Brake	Polyurethane	5 x 1 ¹ / ₄	300	3
CM5PR	Rigid	Polyurethane	5 x 1 ¹ / ₄	300	3





5" Rubber

5" Poly Swivel

Donut Bumpers

Model No.	Description	
DB5	5" Diameter Revolving	
DB4	3 ¹ / ₂ " Diameter	



5" Brake/Lock



Donut Bumper



STANDARD DUTY ROUND POST WIRE SHELVING ACCESSORIES

Snap-on Shelf Covers

The cleanliness and sanitation idea you've been looking for! An inexpensive, rugged polyethylene plastic shelf cover which quickly and easily attaches to your present shelving. This protective coat provides a barrier against liquids, crumbs and dirt dropping to shelves below. A raised marine edge around the entire perimeter stops liquids from dripping over the side. The raised embossed design promotes air circulation in walk-in refrigerators and freezers, and helps prevent moisture from accumulating on cartons and other solid surfaces. Snap-on Shelf Covers fit wire, embossed, louvered and solid shelves. Snap-on Shelf Covers are acceptable to the U.S. Department of Agriculture for direct food contact and carry the seal of approval of the National Sanitation Foundation. Available in gray.

4-Shelf	Shelf	Wt.
Model No.	W x L (ln.)	(Lbs.)
AM1836P	18 x 36	1 ¹ / ₂
AM1848P	18 x 48	2
AM1860P	18 x 60	2 ¹ / ₂
AM1872P	18 x 72	2 ³ / ₄
AM2436P	24 x 36	2
AM2448P	24 x 48	2 ³ / ₄
AM2460P	24 x 60	3 ¹ / ₂
AM2472P	24 x 72	4



Snap-On Shelf Cover

Plastic Shelf Inlays

All plastic opaque white shelf inlays are cut to size and sit flat on the shelf. Great for retaining and storing small items or for use as a dust cover.

4-Shelf	Shelf	Wt.
Model No.	W x L (ln.)	(Lbs.)
1836PSG	18 x 36	1 ¹ / ₂
1848PSG	18 x 48	2
1860PSG	18 x 60	2 ¹ / ₂
1872PSG	18 x 72	3
2436PSG	24 x 36	2
2448PSG	24 x 48	2 ³ / ₄
2460PSG	24 x 60	3 ¹ / ₂
2472PSG	24 x 72	4



Plastic Shelf Inlays



To place an order, contact your dealer today!



SPG International, LLC 11230 Harland Drive NE Covington, GA 30014 877-503-4SPG (4774)

Gillis/Jarke Manufacturing 800-225-5424

www.spgusa.com