


FLOOR TROUGHS

STAINLESS STEEL FLOOR TROUGHS

UNIVERSAL
STAINLESS by
SPG



Stainless Steel Floor Trough with Subway Grating
Non-Slip Fiberglass Grate also available



Section View

ITEM # _____	MODEL # _____	QTY: _____
PROJECT: _____		
OPTIONS: <input type="checkbox"/> YES _____ <input type="checkbox"/> NO _____		

Standard Features & Benefits

- ◆ 14 gauge 304 Series Stainless Steel, available with Stainless Steel subway grates or non-slip Fiberglass grates. (Both ADA compliant)
- ◆ Available in 12", 18", & 24" widths and lengths from 2' - 5' in 6" increments
- ◆ Cross-brake toward waste
- ◆ Available with anti-splash feature
- ◆ Subway grating constructed from 3/16" x 1" stainless steel bars
- ◆ Stainless Steel waste cup accommodates up to 3" waste pipe
- ◆ Includes 3" O.D. – 4" long plumbing sleeve
- ◆ Troughs can be made to order. Contact factory for details.



All SPG foodservice products meet NSF standards. For specific items, visit www.nsf.org.

For SPG's complete product menu, visit www.spgusa.com or call 877.503.4SPG (4774)

EXPECT MORE
SPG
STORAGE PRODUCTS GROUP

FLOOR TROUGHS

STAINLESS STEEL FLOOR TROUGHS

Stainless Steel Subway Grating Model No.	Approx. Weight		Fiberglass Grating Model No.	Approx. Weight		L x W		Cubic Ft.
	(Lbs.)	(Kg.)		(Lbs.)	(Kg.)	(In.)	(mm.)	
12" (305 mm.) Trough Width								
UFTS-1224	36	16	UFTF-1224	26	12	24 x 12	610 x 305	3.4
UFTS-1230	45	20	UFTF-1230	33	15	30 x 12	762 x 305	4.2
UFTS-1236	54	25	UFTF-1236	39	18	36 x 12	914 x 305	5.1
UFTS-1242	63	29	UFTF-1242	46	21	42 x 12	1067 x 305	5.9
UFTS-1248	72	33	UFTF-1248	52	24	48 x 12	1219 x 305	6.1
UFTS-1254	81	37	UFTF-1254	59	27	54 x 12	1372 x 305	7.6
UFTS-1260	90	41	UFTF-1260	65	30	60 x 12	1524 x 305	8.5
18" (457 mm.) Trough Width								
UFTS-1824	44	20	UFTF-1824	32	15	24 x 18	610 x 457	4.6
UFTS-1830	55	25	UFTF-1830	40	18	30 x 18	762 x 457	5.7
UFTS-1836	66	30	UFTF-1836	48	22	36 x 18	914 x 457	6.9
UFTS-1842	77	35	UFTF-1842	56	25	42 x 18	1067 x 457	8.0
UFTS-1848	88	40	UFTF-1848	64	29	48 x 18	1219 x 457	9.2
UFTS-1854	99	45	UFTF-1854	72	33	54 x 18	1372 x 457	10.3
UFTS-1860	110	50	UFTF-1860	80	36	60 x 18	1524 x 457	11.5
24" (610 mm.) Trough Width								
UFTS-2424	56	25	UFTF-2424	40	18	24 x 24	610 x 610	5.6
UFTS-2430	70	32	UFTF-2430	50	23	30 x 24	762 x 610	7.0
UFTS-2436	84	38	UFTF-2436	60	27	36 x 24	914 x 610	8.4
UFTS-2442	98	45	UFTF-2442	70	32	42 x 24	1067 x 610	9.8
UFTS-2448	112	51	UFTF-2448	80	36	48 x 24	1219 x 610	11.2
UFTS-2454	126	57	UFTF-2454	90	41	54 x 24	1372 x 610	12.6
UFTS-2460	140	64	UFTF-2460	100	45	60 x 24	1524 x 610	14.0

AMCO • Freestyle • ISS • Kelmax • LPI • Universal Stainless • Gillis-Jarke

SPG International, LLC
11230 Harland Drive NE
Covington, GA 30014
877-503-4SPG (4774)

www.spgusa.com

The best names in the business
all have one thing in common.

EXPECT MORE
SPG
STORAGE PRODUCTS GROUP


FLOOR TROUGHS

STAINLESS STEEL FLOOR TROUGHS WITH ANTI-SPLASH FEATURE

UNIVERSAL
STAINLESS by
SPG



Anti-Splash Stainless Steel
Floor Trough with Subway Grating
Non-Slip Fiberglass Grate also available



Section View

ITEM # _____	MODEL # _____	QTY: _____
PROJECT: _____		
OPTIONS: <input type="checkbox"/> YES _____ <input type="checkbox"/> NO _____		

Standard Features & Benefits

- ◆ 14 gauge 304 Series Stainless Steel, available with Stainless Steel subway grates or non-slip Fiberglass grates. (Both ADA compliant)
- ◆ Available in 12", 18", & 24" widths and lengths from 2' - 5' in 6" increments
- ◆ Cross-brake toward waste
- ◆ Subway grating constructed from 3/16" x 1" stainless steel bars
- ◆ Stainless Steel waste cup accommodates up to 3" waste pipe
- ◆ Includes 3" O.D. – 4" long plumbing sleeve
- ◆ Troughs can be made to order – contact your factory for details.
- ◆ Trough's special shape reduces the chance of back splash when liquids are poured in quickly – less splash means less clean up



All SPG foodservice products meet NSF standards. For specific items, visit www.nsf.org.

For SPG's complete product menu, visit www.spgusa.com or call 877.503.4SPG (4774)

EXPECT MORE
SPG
STORAGE PRODUCTS GROUP

FLOOR TROUGHS

STAINLESS STEEL FLOOR TROUGHS WITH ANTI-SPLASH FEATURE

Stainless Steel Subway Grating Model No.	Approx. Weight		Fiberglass Grating Model No.	Approx. Weight		L x W		Cubic Ft.
	(Lbs.)	(Kg.)		(Lbs.)	(Kg.)	(In.)	(mm.)	
12" (305 mm.) Trough Width								
UFTAS-1224	36	16	UFTAG-1224	26	12	24 x 12	610 x 305	3.4
UFTAS-1230	45	20	UFTAG-1230	33	15	30 x 12	762 x 305	4.2
UFTAS-1236	54	25	UFTAG-1236	39	18	36 x 12	914 x 305	5.1
UFTAS-1242	63	29	UFTAG-1242	46	21	42 x 12	1067 x 305	5.9
UFTAS-1248	72	33	UFTAG-1248	52	24	48 x 12	1219 x 305	6.1
UFTAS-1254	81	37	UFTAG-1254	59	27	54 x 12	1372 x 305	7.6
UFTAS-1260	90	41	UFTAG-1260	65	30	60 x 12	1524 x 305	8.5
18" (457 mm.) Trough Width								
UFTAS-1824	44	20	UFTAG-1824	32	15	24 x 18	610 x 457	4.6
UFTAS-1830	55	25	UFTAG-1830	40	18	30 x 18	762 x 457	5.7
UFTAS-1836	66	30	UFTAG-1836	48	22	36 x 18	914 x 457	6.9
UFTAS-1842	77	35	UFTAG-1842	56	25	42 x 18	1067 x 457	8.0
UFTAS-1848	88	40	UFTAG-1848	64	29	48 x 18	1219 x 457	9.2
UFTAS-1854	99	45	UFTAG-1854	72	33	54 x 18	1372 x 457	10.3
UFTAS-1860	110	50	UFTAG-1860	80	36	60 x 18	1524 x 457	11.5
24" (610 mm.) Trough Width								
UFTAS-2424	56	25	UFTAG-2424	40	18	24 x 24	610 x 610	5.6
UFTAS-2430	70	32	UFTAG-2430	50	23	30 x 24	762 x 610	7.0
UFTAS-2436	84	38	UFTAG-2436	60	27	36 x 24	914 x 610	8.4
UFTAS-2442	98	45	UFTAG-2442	70	32	42 x 24	1067 x 610	9.8
UFTAS-2448	112	51	UFTAG-2448	80	36	48 x 24	1219 x 610	11.2
UFTAS-2454	126	57	UFTAG-2454	90	41	54 x 24	1372 x 610	12.6
UFTAS-2460	140	64	UFTAG-2460	100	45	60 x 24	1524 x 610	14.0

AMCO • Freestyle • ISS • Kelmax • LPI • Universal Stainless • Gillis-Jarke

SPG International, LLC
11230 Harland Drive NE
Covington, GA 30014
877-503-4SPG (4774)

www.spgusa.com

The best names in the business
all have one thing in common.

EXPECT MORE

SPG

STORAGE PRODUCTS GROUP